



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/905,131	07/13/2001	Yoshiharu Doi	NAK1-BP43	3858
21611 7:	590 11/30/2005		EXAMINER	
SNELL & WILMER LLP			PEREZ, ANGELICA	
600 ANTON B	OULEVARD		Apribur	DARED MUMEE
SUITE 1400			ART UNIT	PAPER NUMBER
COSTA MESA, CA 92626			2684	

DATE MAILED: 11/30/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
•	09/905,131	DOI, YOSHIHARU
Office Action Summary	Examiner	Art Unit
	Perez M. Angelica	2684
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tim  within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from to become ABANDONEI  cause the application to become ABANDONEI	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).
Status		
1) ⊠ Responsive to communication(s) filed on 14 No.     2a) □ This action is FINAL. 2b) ⊠ This     3) □ Since this application is in condition for allower closed in accordance with the practice under Expression.	action is non-final. nce except for formal matters, pro	
Disposition of Claims		
<ul> <li>4)  Claim(s) 1-28 is/are pending in the application.</li> <li>4a) Of the above claim(s) is/are withdraw</li> <li>5)  Claim(s) 1-12 and 17-28 is/are allowed.</li> <li>6)  Claim(s) 13-16 is/are rejected.</li> <li>7)  Claim(s) is/are objected to.</li> <li>8)  Claim(s) are subject to restriction and/or</li> </ul>	vn from consideration.	
Application Papers		
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acce Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	epted or b) objected to by the Education of the Education of the drawing of the drawing (s) is objected in the drawing (s) is objected in the drawing of the	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign  a) All b) Some * c) None of:  1. Certified copies of the priority documents  2. Certified copies of the priority documents  3. Copies of the certified copies of the prior  application from the International Bureau  * See the attached detailed Office action for a list	s have been received. s have been received in Application rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4)  Interview Summary Paper No(s)/Mail Da 5)  Notice of Informal Pa 6)  Other:	

Application/Control Number: 09/905,131

Art Unit: 2684

### **DETAILED ACTION**

## Allowable Subject Matter

Claims 1-12, 17-28 are allowed.

## Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 13-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Akaiwa (Akaiwa et al.; US Patent No.: 5,710,995) in view of Kirisawa (Kirisawa, Akihiro; US Patent No.: 6,297,780 B1).

Regarding claim 13, Akaiwa teaches of a mobile communication terminal and method (column 1, lines 42-64; e.g., steps describe a method of the invention) for performing reception and transmission (figure 1) using an adaptive array method (column 4, lines 66-67 and column 5, lines 1-2), the mobile communication terminal being provided with a plurality of antennas (figure 1, items 11 and 12 and column 4, lines 9-12), a reception circuit which multiplies a signal received using each of the plurality of antennas by a weight vector (column 1, lines 50-55), and a transmission circuit which transmits the multiplied signal using each of the plurality of antennas (column 3, lines 48-53, where it uses each of the antennas at different times depending on the selection made), reception means for forming a directivity pattern for receiving a

Page 3

desired reception signal from a base station and receiving the reception signal from the base station using the formed directivity pattern (column 1, lines 50-64), the mobile communication method comprising: detection mean for detecting a reception error in the reception signal (figure 1, items 15 and 16; columns 1, 3 and 4, lines 43-63, 56-63 and 5-13, respectively).

Akaiwa does not specifically teach of transmission circuit for transmitting at least one of a transmission signal using the directivity pattern formed in reception and an omnidirectional transmission signal, and transmission control means for controlling the transmission means when the detection means detects the reception error so that a pattern different from the directivity pattern formed in reception is formed and the transmission signal is transmitted in the formed pattern.

In related art concerning a mobile apparatus with plurality of antennas having different directivities, Kirisawa teaches of transmission means for transmitting at least one of a transmission signal using the directivity pattern formed in reception an omnidirectional transmission signal (column 1, lines 26-29 and 51-62); and transmission control means for controlling the transmission means when the detection means detects the reception error so that a pattern different from the directivity pattern formed in reception is formed and the transmission signal is transmitted in the formed pattern instead of the directivity pattern formed in reception (column 1, lines 26-28, 60-62; where the transmitted signal is different from the received pattern. See also, columns 2 and 3, lines 39-67 and 1-5, 47-64; where transmission directionality patterns of the antennas is selected depending on the reflected received signal and signal quality).

Application/Control Number: 09/905,131

Art Unit: 2684

It would have been obvious to a one of ordinary skill in the art at the time the invention was made to combine Akaiwa's mobile communication terminal for performing reception using an adaptive array method with Kirisawa's transmission control means in order to increase the likelihood of the transmitted signal to reach its destination, as taught Rectanding aclaim 14, Akaiwa in view of Kirisawa teaches all the limitations according to claims 13. In addition, Akaiwa teaches where when the detection means detects the reception error (figure 1, items 15 and 16; columns 3 and 4, lines 56-63 and 5-13, respectively). Kirisawa further teaches where the transmission control means controls the transmission means so that the omnidirectional transmission signal is formed using one of the plurality of antennas (column 4, lines 15-16; where the antenna with the "smallest reflected power" has the "highest power strength"), and the transmission signal is transmitted in an omnidirectional pattern (column 1, lines 15-19 and column 3, lines 1-5).

Regarding claim 15, Akaiwa in view of Kirisawa teaches all the limitations according to claim 14. In addition, Akaiwa teaches where when the detection means detects the reception error (figure 1, items 15 and 16; columns 3 and 4, lines 56-63 and 5-13, respectively). Kirisawa further teaches where the transmission control means controls the transmission means so that the omnidirectional transmission signal is formed using one of the plurality of antennas that has the largest antenna gain, and the transmission signal is transmitted in the omnidirectional pattern (column 3, lines 1-5 and lines 62-64; where the "largest antenna gain" is inherent in a "smaller reflected power". Column 3, lines 1-5, where "omnidirectional" antennas form non-directional patterns).

Application/Control Number: 09/905,131

Art Unit: 2684

Page 5

Regarding claim 16, Akaiwa in view of Kirisawa teaches all the limitations according to claim 14. Akaiwa further teaches where the communication terminal further includes selection means for measuring a quality of the reception signal for each of the plurality of antennas and selecting an antenna with the highest reception quality (column 1, line 58-64; e.g., "signal quality monitor circuit"), where when the detection means detects the reception error (figure 1, items 15 and 16; columns 3 and 4, lines 56-63 and 5-13, respectively). Kirisawa further teaches where the transmission control means controls the transmission means so that the omnidirectional pattern is formed using the antenna selected by the selection means, and the transmission signal is transmitted in the omnidirectional pattern (column 3, lines 1-5).

### Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

US Patent No.: 6,173,190 B1; deals with a signal receiving apparatus and method. It also, receives a directive pattern and transmits a non-directive pattern.

US Patent No.: 6,449,469 B1; deals with switched directional antenna for automotive radio receivers.

US Patent No.: 5,867,792; refers to a communication device with adaptive antenna.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Angelica Perez whose telephone number is 571-272-7885. The examiner can normally be reached on 7:00 a.m. - 3:30 p.m., Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nay Maung can be reached on (571) 272-7882. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9314 for regular communications and for After Final communications.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either the PAIR or Public PAIR. Status information for unpublished applications is available through the Private PAIR only. For more information about the pair system, see http://pair-direct.uspto.gov. Should you have

Art Unit: 2684

questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). Information regarding Patent Application Information Retrieval (PAIR) system can be found at 866-217-9197 (toll-free).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the TC 2600's customer service number is 703-306-0377.

SUPERVISORY PATENT EXAMINE:

Art Unit 2684

November 23, 2005